



MX-6050V/5050V/4050V/3550V/3050V

Digital Full Colour Multifunctional System

www.sharp.eu

SHARP

Be Original.

High productivity ● ●

Easy connectivity ● ● ●

Security

Greater efficiency ● ●

Optimised solutions ● ●

Configurations

Configuration examples

Connectivity and capacity options

Finishing options ● ●

Specifications

Shaped around you.

New technology. A growing team. Fresh directions. There's no telling what opportunities (or challenges) your business may face. So when choosing a new MFP, invest in one that can adapt to your needs – whatever the future holds.

Today, it might be that you have fairly simple printing, scanning and copying needs. But as new ways of sharing information become embedded in working life, or the needs of your workforce change, it's important your office MFP can keep pace.

Five versatile models

With a broad choice of options and upgrades available, these next generation A3 colour MFPs are as ready for today, as they are for tomorrow.

Options include:

High performance: MX-6050V and MX-5050V which print and copy at an impressive 60 and 50 pages per minute (ppm) respectively.

Mid-range: 40 ppm MX-4050V and 35 ppm MX-3550V.

For smaller workgroups: 30 ppm MX-3050V.

[Click here to see our video](#)

All the essentials you need

All the essential functions you'd expect come as standard – with top quality results. You can print paper sizes of up to SRA3 and weights of 300g/m², giving you plenty of versatility. And with the ability to mix batches of colour and black & white documents of different weights and sizes, scanning is simple and speedy.

Features such as our auto process control and developer refresh system give you consistently high-quality output on every job. And, with Auto Colour Mode there's no need to fine-tune anything when scanning and copying colour documents – even from mixed-content originals.

Finally, because no one likes interruptions, the MX-6050V and MX-5050V let you top up the toner without pausing what you're doing.

Click to learn more:

[>MX-6050V](#) [>MX-5050V](#) [>MX-4050V](#)
[>MX-3550V](#) [>MX-3050V](#)

Shaped around you.

New technology. A growing team. Fresh directions. There's no telling what opportunities (or challenges) your business may face. So when choosing a new MFP, invest in one that can adapt to your needs – whatever the future holds.

Plus the extras you want

All five models are cloud capable and can be customised and upgraded to meet your requirements.

Options include:

- A range of professional finishing styles including saddle-stitching, manual and stapleless stapling
- Job Separator Tray to sort print, copy and fax jobs
- Single Sign-On for connecting to popular cloud storage services
- Sharp Open Systems Architecture (OSA) for integrating with network- and cloud-based applications
- Compact PDF capability for scanning to convenient file sizes
- Adobe® PostScript® 3™ to enhance graphic processing
- Fax expansion
- Optimised Software Solutions for easier and more productive scanning, printing and mobile connectivity



Mix and match features to make it your own.

High productivity, less waste.

User-friendly design together with time (and energy) saving features mean our MFPs fit right into office life. Helping everyone do more with their working day.

At Sharp, we know that advanced technology isn't good enough on its own. To make a real difference to everyday life, it has to be easy to use. And the same goes for our MFPs.

Master key functions in moments

No one wants to read a manual to complete simple office tasks. So we've made sure that the features used day-in, day-out are easily accessible from a 10.1" tiltable colour LCD touchscreen. This can be customised to display your most-used functions to further enhance your productivity. And we've included integrated web browsing.

Even advanced controls can be mastered in moments. But if you ever have a question, just check the 'quick help' guide embedded in every function.



Make it your own. Drag and drop icons to customise your home screen.

Click here to see our Home Screen Customisation video



Ease of use



High productivity



Easy connectivity



Security

Greater efficiency



Optimised solutions



Configurations

Configuration examples

Connectivity and capacity options

Finishing options



Specifications



High productivity, less waste.

User-friendly design together with time (and energy) saving features mean our MFPs fit right into office life. Helping everyone do more with their working day.

Use it your way

If you work in a larger office, you don't want to have to stop everything to dash to the printer to pick up sensitive documents. With flexible Pull Printing capability, our MFPs are designed to work around you and fit seamlessly into your office routine.

With Print Release, set an MFP as a print server and print your documents from any other networked MFP in the same range – at a time and place you choose*. Giving you the flexibility of collecting your output at a time that's best for you. And peace of mind that sensitive documents won't be left unattended.



Print to your schedule. Collect from any networked MFP.

Up your energy efficiency

When it comes to reducing energy usage and running costs in the workplace, even the smallest savings can add up. Features such as low melt toner, Eco Scan, a short warm up time and automatic, configurable power settings make sure our MFPs are highly energy efficient.

What's more, the control panel prompts the user to choose the most environmentally friendly option for every print or copy job – and the toner cartridge ejects automatically only when it's completely empty. All helping you to avoid costly waste.

[Click here to see our Print Release video](#)

* Up to 5 networked devices total.

Ease of use ● ●

High productivity ● ●

Easy connectivity ● ● ●

Security

Greater efficiency ● ●

Optimised solutions ● ●

Configurations

Configuration examples

Connectivity and capacity options

Finishing options ● ●

Specifications




Forward-thinking connectivity.

We're accessing and sharing information in more ways than ever before. To help your business face the challenges and seize the opportunities of this connected world, invest in technology designed for the future.

Every workplace has their own individual set up. From a mix of colleagues working on site and remotely, to using a whole host of digital devices and online systems to get work done.

Our MFPs are designed to be versatile, with upgrades and adaptations available to tailor them to your individual requirements.



Forward-thinking connectivity.


We're accessing and sharing information in more ways than ever before. To help your business face the challenges and seize the opportunities of this connected world, invest in technology designed for the future.

Designed for multiple devices

From desktops and laptops to phones and tablets, we're used to accessing data and information in a variety of ways. With these MFPs, you can print from your preferred device, too.

Popular mobile technologies such as Google Cloud Print™ and Apple AirPrint® are all supported. Alternatively, you can connect with the MFP via NFC*¹ (Near Field Communication) or use your phone to scan the QR code on the MFP.

If you prefer to print from a USB, simply plug it into the MFP, choose your Microsoft Office files and you're ready to go*². You can also scan and save documents straight to a USB.



Mobile. Cloud. USB. Print your way.

[Click here to see our USB Direct Print video](#)

*¹ NFC requires commercially available NFC card reader.

*² Optional MX-PU10 required to print Microsoft Office files.

Ease of use



High productivity



Easy connectivity



Security

Greater efficiency



Optimised solutions



Configurations

Configuration examples

Connectivity and capacity options

Finishing options



Specifications



Forward-thinking connectivity.

We're accessing and sharing information in more ways than ever before. To help your business face the challenges and seize the opportunities of this connected world, invest in technology designed for the future.

Cloud and email connections

Access all your files with just a few taps. Reach into the cloud with direct access to file-sharing and storage services such as Google Drive™, OneDrive®, SharePoint®, Microsoft Online, Box and Sharp Cloud Portal Office – all accessible from the MFP touchscreen.

And, because we know that no one likes having to constantly re-enter log-in details, use Single Sign-On to access many of your favourite cloud services quickly and easily.

Finally, convenient mail service connectors mean you can send scanned data directly to recipients from your Gmail™ or Microsoft Exchange account.



Forward-thinking connectivity.

We're accessing and sharing information in more ways than ever before. To help your business face the challenges and seize the opportunities of this connected world, invest in technology designed for the future.

In safe hands

With more and more information shared digitally, you want to make sure that only the right people can access it. So it's reassuring to know that our MFPs come with robust security features to keep your valuable data safe and sound.

Control access with passwords and user authentication, or with a third party card reader for adding even stronger security.

Encrypt and erase data from the MFP hard disk automatically and on-demand. And, when the time comes to replace the MFP, use the Data Initialisation feature to erase all your data.

Combat cyber attacks with a secure network interface, SSL, IPsec and port-based network protection.

Prevent unauthorised usage such as the copying, scanning, faxing and filing of confidential documents, using the Document Control function*¹.

Guard against accidents with features including Hidden Pattern Print for revealing watermarks, password protection for PDFs and Confidential PIN Printing, which requires the user to be present at the machine.

For total peace of mind, our MFPs also come with S/MIME for secure email communications, as well as advanced data protection and high security logins. And for maximum protection, as required by government, military and legal organisations, your IT administrator can permanently enable*² the highest level of security. This conforms to the Hard Copy Device Protection Profile (HCD PP*³) standard.

*¹ Requires optional Data Security Kit.

*² Once enabled, some functions may not be available.

*³ HCD PP ver1.0 – non Common Criteria.

Ease of use ● ●

High productivity ● ●

Easy connectivity ● ● ●

Security

Greater efficiency ● ●

Optimised solutions ● ●

Configurations

Configuration examples

Connectivity and capacity options

Finishing options ● ●

Specifications

Unlock greater efficiency.



Printing, copying and scanning needn't be a time-consuming distraction from other tasks. With a choice of extra-value options, our MFPs become an integral part of your information infrastructure – boosting workplace efficiency.

When day-to-day office tasks become fast, efficient and easy, every workgroup has time to focus on more important projects. Our next generation MFPs support greater workplace productivity by transforming printing, copying and scanning for the better.

And that's just the start. When paired with extra-value options such as Cloud Portal Office and one or more of our Optimised Software Solutions, you can make it even easier to stay on top of how your workforce is accessing and sharing data. Allowing you to spot savings, reduce usage costs and reach new levels of efficiency across your business.

Ease of use



High productivity



Easy connectivity



Security

Greater efficiency



Optimised solutions



Configurations

Configuration examples

Connectivity and capacity options

Finishing options



Specifications

Unlock greater efficiency.



Printing, copying and scanning needn't be a time-consuming distraction from other tasks. With a choice of extra-value options, our MFPs become an integral part of your information infrastructure – boosting workplace efficiency.

Introducing Cloud Portal Office

Capture, store and share key documents easily with our award-winning cloud-based document management system. Cloud Portal Office makes it simple to create a unified digital ecosystem that brings together the MFP, computers, tablets, phones and even our Sharp BIG PAD interactive display. Giving you and your team access to vital documents from any web-enabled device.

Cloud Portal Office becomes your gateway to every document you've stored in the cloud. And, by allowing you to scan automatically indexed documents directly to the cloud and alert colleagues from the MFP, you can give everyone the information they need, fast.



Click here to learn more about Cloud Portal Office

Ease of use



High productivity



Easy connectivity



Security

Greater efficiency



Optimised solutions



Configurations

Configuration examples

Connectivity and capacity options

Finishing options



Specifications

Unlock greater efficiency.



Printing, copying and scanning needn't be a time-consuming distraction from other tasks. With a choice of extra-value options, our MFPs become an integral part of your information infrastructure – boosting workplace efficiency.

Optimised Software Solutions

Choose one or more of our Optimised Software Solutions – helping you boost efficiency and reduce costs in key areas that are important to your business.

Optimised Printing: monitor and manage your print and copy usage. Make sure it's only being used by authorised people, track and recover costs and reduce waste.

Optimised Scanning: save time and avoid costly errors by simplifying and automating how you store and share documents – whatever their format.

Optimised
Printing



Optimised
Scanning



Optimised
Mobile



Optimised
Workflow



Optimised
Managing



Click here to learn more about our Optimised Software Solutions

Ease of use



High productivity



Easy connectivity



Security

Greater efficiency



Optimised solutions



Configurations

Configuration examples

Connectivity and capacity options

Finishing options



Specifications

Unlock greater efficiency.



Printing, copying and scanning needn't be a time-consuming distraction from other tasks. With a choice of extra-value options, our MFPs become an integral part of your information infrastructure – boosting workplace efficiency.

Optimised Mobile: create a more flexible team by helping people connect tablets, phones and laptops simply and securely, so they're always in touch.

Optimised Workflow: restore the productivity you need to achieve and maintain profitable growth by streamlining and simplifying repetitive tasks.

Optimised Managing: ease the burden of managing your MFPs and reduce the cost of ownership.



Smarter technology supports efficient, effective teams.

Ease of use



High productivity



Easy connectivity



Security

Greater efficiency



Optimised solutions



Configurations


Configuration examples

Connectivity and capacity options

Finishing options



Configurations



Click here to view configuration examples

Click the options to learn more

Specifications

Ease of use



High productivity



Easy connectivity



Security

Greater efficiency



Optimised solutions



Configurations

Configuration examples

Connectivity and capacity options

Finishing options



Configuration examples



MX-3550V Base Unit
Exit Tray Cabinet
550-Sheet Paper Drawer



MX-3550V Base Unit
Inner Finisher
Stand with 550 + 2,100-Sheet Paper Drawers
Exit Tray Unit



MX-5050V Base Unit
Stand with 3 x 550-Sheet Paper Drawers
Finisher + Paper Pass Unit
Exit Tray Unit
Large Capacity Tray

Specifications

Ease of use



High

productivity



Easy

connectivity



Security

Greater efficiency



Optimised
solutions



Configurations

Configuration examples

**Connectivity and
capacity options**

Finishing options



Specifications

Options

Printing

MX-PK13 PS3 Expansion Kit

Enables PostScript printing

MX-PU10 Direct Print Expansion Kit

MX-PF10 Barcode Font Kit

Enables barcode printing

Faxing

MX-FX15 Fax Expansion Kit

MX-FWX1 Internet Fax Expansion Kit

Connectivity

MX-EB18 Wireless LAN Adaptor

Enables connection to wireless networks

Scanning

MX-EB11 Enhanced Compression Kit

Enables creation of high compression PDFs

AR-SU1 Stamp Unit

Marks already scanned documents for checking

Sharpdesk Licenses

MX-USX1/X5

1/5-License Kit

MX-US10/50/A0

10/50/100-License Kit

Sharp OSA®

MX-AMX1 Application Integration Module

MX-AMX2 Application Communication Module

MX-AMX3 External Account Module

Security

MX-FR51U Data Security Kit

Commercial Version

Base Unit

1. MX-DE25 N Stand with 550-Sheet Paper Drawer

550 sheets^{*1}, SRA3 to A5R (60 - 300 g/m²)

2. MX-DE26 N Stand with 2 x 550-Sheet Paper Drawer

550 sheets^{*1} each for lower and upper trays, SRA3 to A5R (60 - 300 g/m²)

3. MX-DE27 N Stand with 3 x 550-Sheet Paper Drawer

550 sheets^{*1} each for lower and upper trays, SRA3 to A5R (60 - 300 g/m²)

4. MX-DE28 N Stand with 550 + 2,100-Sheet Paper Drawer

Upper tray: SRA3 – A5R, 550 sheets^{*1} (80 g/m²)

Lower tray (Left): A4, 1,200 sheets^{*1} (60 - 105 g/m²)

Lower tray (Right): A4 - B5, 900 sheets^{*1} (60 - 105 g/m²)

5. MX-DE29 N 550-Sheet Paper Drawer

550 sheets^{*1}, SRA3 to A5R (60 - 300 g/m²)

6. MX-LC17 N Large Capacity Tray (A4)

3,000 sheets^{*1}, A4 - B5 (60 - 220 g/m²)

7. MX-UT10 Utility Table

^{*1} Number of sheets based on 80 g/m².



Ease of use



High

productivity



Easy

connectivity



Security

Greater efficiency



Optimised
solutions



Configurations

Configuration examples

Connectivity and
capacity options

Finishing options



Specifications



Options

Finishing

8. MX-LT10 Long Paper Feeding Tray

Recommended for banner printing

9. MX-TR19 N Exit Tray Unit

10. MX-FN27 N Inner Finisher

A3 - B5 (offset/staple), SRA3 - A5R (non offset)

Offset tray (upper): max. 500-sheet paper capacity*¹

Stapling capacity: max. 50-sheet multi-position staple*¹

Staple position: 3 locations (front, rear or 2 point stitching)

Manual Stapling: 1-point at rear (Flat), 45 sheets (64 g/m²), 40 sheets (80 g/m²)

Stapleless capacity: max. 5-sheet (64 g/m²), 4 sheet (65 – 81.4 g/m²),

3 sheet (81.5 - 105 g/m²)

Stapleless position: 1-point at rear (Slant), A3 - B5

Optional Punch Module for MX-FN27 N:

MX-PN14C - 2/4 Hole Punch Module

MX-PN14D - 4 Hole Wide Punch Module

11. MX-RB25 N Paper Pass Unit

Required when using MX-FN28, MX-FN29, MX-FN30 & MX-FN31

12. MX-TR20 Job Separator Tray

Requires MX-TU16 Exit Tray Cabinet

13. MX-TU16 Exit Tray Cabinet

14. MX-FN29 1k Saddle Stitch Finisher

A3W - A5R (offset/staple), SRA3 - A5R (non offset)

Offset tray (upper): max. 1,000-sheet paper capacity*¹

Stapling capacity: max. 50-sheet multi-position staple*¹

Staple position: 1-point at front (Flat), 1-point at back (Flat), 2 point stitching

Saddle stitch tray (lower): 7 sets (11-15 sheets), 10 sets (6-10 sheets),

20 sets (1-5 sheets), 15 sheets max per set

*¹ Number of sheets based on 80 g/m².

Ease of use



High productivity



Easy connectivity



Security

Greater efficiency



Optimised solutions



Configurations

Configuration examples

Connectivity and capacity options

Finishing options



Specifications



Options

15. MX-FN28 1k Finisher

A3W - A5R (offset/staple), SRA3 - A5R (non offset)
Offset tray (upper): max.1,000-sheet paper capacity*¹
Stapling capacity: max. 50-sheet multi-position staple*¹
Staple position: 1-point at front (Flat), 1-point at back (Flat), 2 point stitching

Optional Punch Module for MX-FN29 & MX-FN28:

MX-PN15C - 2/4 Hole Punch Module
MX-PN15D - 4 Hole Wide Punch Module

16. MX-FN31 3k Saddle Stitch Finisher

A3 - B5 (offset/staple), SRA3 - A5R (non offset)
Offset tray (upper): max.3,000-sheet paper capacity*¹
Stapling capacity: max. 65-sheet multi-position staple*¹
Staple position: 1-point at front (Slant), 1-point at back (Slant), 2 point stitching
Manual Stapling: 1-point at rear (Flat), 45 sheets (64 g/m²), 40 sheets (80 g/m²)
Stapleless capacity: max.5-sheet (64 g/m²), 4 sheet (65 – 81.4 g/m²),
3 sheet (81.5 - 105 g/m²)
Stapleless position: 1-point at rear (Slant), A3 - B5
Saddle stitch tray (lower): 10 sets (11-15 sheets), 15 sets (6-10 sheets),
25 sets (1-5 sheets). 20 sheets max per set

17. MX-FN30 3k Finisher

A3 - B5 (offset/staple), SRA3 - A5R (non offset)
Offset tray (upper): max.3,000-sheet paper capacity*¹
Stapling capacity: max. 65-sheet multi-position staple*¹
Staple position: 1-point at front (Slant), 1-point at back (Slant), 2 point stitching
Manual Stapling: 1-point at rear (Flat), 45 sheets (64 g/m²), 40 sheets (80 g/m²)
Stapleless capacity: max.5-sheet (64 g/m²), 4 sheet (65 – 81.4 g/m²),
3 sheet (81.5 - 105 g/m²)
Stapleless position: 1-point at rear (Slant), A3 - B5

Optional Punch Module for MX-FN31 & MX-FN30:

MX-PN16C - 2/4 Hole Punch Module
MX-PN16D - 4 Hole Wide Punch Module

*¹ Number of sheets based on 80 g/m².

Ease of use



High productivity



Easy connectivity



Security

Greater efficiency



Optimised solutions



Configurations

Configuration examples

Connectivity and capacity options

Finishing options



Specifications

Specifications

General

Copier

Wireless LAN (optional MX-EB18 required)

Network Scanner

Document Filing

Network Printer

Fax (optional MX-FX15 required)

External Dimensions

Click the specification buttons for further information



*¹ Long-edge feeding. *² Only short-edge feeding can be used with A5 paper. *³ At rated voltage, 23°C (73.4°F). May vary depending on operating conditions and environment. ** HDD capacity depends on procurement and sourcing status. *⁵ Including adjusters and protuberances *⁶ Long-edge feeding of A4 sheets from 1st paper tray, using document glass, without Auto Colour Selection and Auto Colour mode, MFP in fully ready condition. May vary depending on operating conditions and environment. *⁷ Not applicable to Software AP mode. *⁸ Based on Sharp's A4 standard chart, using document feeder and long-edge feeding. Using factory default settings with Auto Colour Selection off. Scan speed will vary depending on the type of document and the scan settings.*⁹ Requires optional MX-EB11 *¹⁰ Colour/greyscale only. *¹¹ Storage capacity will vary depending on the type of document and the scan settings. *¹² Some features require option(s). *¹³ Mac OS requires MX-PK13 *¹⁴ Based on Sharp's standard chart with approx. 700 characters (A4 long-edge feeding) at standard resolution in Super G3 mode, 33,600 bps,JBIG compression.

Design and specifications are subject to change without prior notice. All information was correct at time of print. The ENERGY STAR logo is a certification mark and may only be used to certify specific products that have been determined to meet the ENERGY STAR programme requirements. ENERGY STAR is a US registered mark. Windows, Windows NT, Windows XP and Windows Vista are registered trademarks of Microsoft Corporation. Adobe and PostScript 3 are either registered trademarks or trademarks of Adobe Systems Incorporated in the U.S. and/or other countries. All other company names, product names and logotypes are trademarks or registered trademarks of their respective owners. ©Sharp Corporation February 2018. Ref: MX-6050V/MX-5050VMX-4050V/MX-3550V/MX-3050V Brochure Job:18590. All trademarks acknowledged. E&OE.

Ease of use



High productivity



Easy connectivity



Security

Greater efficiency



Optimised solutions



Configurations

Configuration examples

Connectivity and capacity options

Finishing options



Specifications

Specifications

General
Copier
Wireless LAN (optional MX-EB18 required)
Network Scanner
Document Filing
Network Printer
Fax (optional MX-FX15 required)
External Dimensions

Click the specification buttons for further information

Engine speed (ppm/cpm) (Max)	A4* ¹	A3	SRA3
MX-6050V	60	30	29
MX-5050V	50	26	24
MX-4050V	40	20	18
MX-3550V	35	18	16
MX-3050V	30	16	15
Control panel display	10.1-inch colour LCD touchscreen		
Paper size (Min – Max)	SRA3 – A5* ²		
Paper weight (g/m ²)			
Tray	60 - 300		
Multi-bypass	55 - 300		
Paper capacity (Std – Max)			
Sheets	650 - 6,300		
Drawers	1 - 4 (plus bypass tray)		
Warm-up time* ³ (seconds)			
MX-6050V/MX-5050V	15		
MX-4050V/MX-3550V/MX-3050V	10		
Memory (GB)			
Copier/Printer (shared)	5		
HDD* ⁴	250		
Power requirements			
Power consumption (kW) (Max)			
MX-6050V/MX-5050V	2.07 (220 to 240V)		
MX-4050V/MX-3550V/MX-3050V	1.84 (220 to 240V)		
Dimensions (mm) (W x D x H)* ⁵			
MX-6050V/MX-5050V	608 x 650 x 834		
Weight (kg)			
MX-6050V/MX-5050V	82		
MX-4050V/MX-3550V/MX-3050V	79		



*¹ Long-edge feeding. *² Only short-edge feeding can be used with A5 paper. *³ At rated voltage, 23°C (73.4°F). May vary depending on operating conditions and environment. *⁴ HDD capacity depends on procurement and sourcing status. *⁵ Including adjusters and protuberances *⁶ Long-edge feeding of A4 sheets from 1st paper tray, using document glass, without Auto Colour Selection and Auto Colour mode, MFP in fully ready condition. May vary depending on operating conditions and environment. *⁷ Not applicable to Software AP mode. *⁸ Based on Sharp's A4 standard chart, using document feeder and long-edge feeding. Using factory default settings with Auto Colour Selection off. Scan speed will vary depending on the type of document and the scan settings.*⁹ Requires optional MX-EB11. *¹⁰ Colour/greyscale only. *¹¹ Storage capacity will vary depending on the type of document and the scan settings. *¹² Some features require option(s). *¹³ Mac OS requires MX-PK13. *¹⁴ Based on Sharp's standard chart with approx. 700 characters (A4 long-edge feeding) at standard resolution in Super G3 mode, 33,600 bps,JBIG compression.

Design and specifications are subject to change without prior notice. All information was correct at time of print. The ENERGY STAR logo is a certification mark and may only be used to certify specific products that have been determined to meet the ENERGY STAR programme requirements. ENERGY STAR is a US registered mark. Windows, Windows NT, Windows XP and Windows Vista are registered trademarks of Microsoft Corporation. Adobe and PostScript 3 are either registered trademarks or trademarks of Adobe Systems Incorporated in the U.S. and/or other countries. All other company names, product names and logotypes are trademarks or registered trademarks of their respective owners. ©Sharp Corporation February 2018. Ref: MX-6050V/MX-5050VMX-4050V/MX-3550V/MX-3050V Brochure Job:18590. All trademarks acknowledged. E&OE.

Ease of use



High

productivity



Easy

connectivity



Security

Greater efficiency



Optimised
solutions



Configurations

Configuration examples

Connectivity and
capacity options

Finishing options



Specifications

Specifications



General

Copier

Wireless LAN (optional MX-EB18 required)

Network Scanner

Document Filing

Network Printer

Fax (optional MX-FX15 required)

External Dimensions

Original paper size (Max)

A3

First copy time*⁶ Full colour B/W

4.8

3.7

MX-6050V/MX-5050V

6.7

4.7

Continuous copies (Max)

9,999

Print resolution (dpi)

600 x 600

Scan (colour) Scan (B/W)

600 x 600, 600 x 400

Print

MX-6050V/MX-5050V

1200 x 1200, 600 x 600, 9600
(equivalent) x 600 (depending on
copy mode)

MX-4050V/MX-3550V/MX-3050V

600 x 600, 9600 (equivalent) x 600
(depending on copy mode)

Gradation levels

256

Zoom range (%)

25 – 400, (25 – 200 using RSPF) in 1%
increments

Preset copy ratios (Metric)

10 ratios (5R/5E)

Click the specification buttons for further information



*¹ Long-edge feeding. *² Only short-edge feeding can be used with A5 paper. *³ At rated voltage, 23°C (73.4°F). May vary depending on operating conditions and environment. *⁴ HDD capacity depends on procurement and sourcing status. *⁵ Including adjusters and protuberances *⁶ Long-edge feeding of A4 sheets from 1st paper tray, using document glass, without Auto Colour Selection and Auto Colour mode, MFP in fully ready condition. May vary depending on operating conditions and environment. *⁷ Not applicable to Software AP mode. *⁸ Based on Sharp's A4 standard chart, using document feeder and long-edge feeding. Using factory default settings with Auto Colour Selection off. Scan speed will vary depending on the type of document and the scan settings.*⁹ Requires optional MX-EB11 *¹⁰ Colour/greyscale only. *¹¹ Storage capacity will vary depending on the type of document and the scan settings. *¹² Some features require option(s). *¹³ Mac OS requires MX-PK13 *¹⁴ Based on Sharp's standard chart with approx. 700 characters (A4 long-edge feeding) at standard resolution in Super G3 mode, 33,600 bps,JBIG compression.

Design and specifications are subject to change without prior notice. All information was correct at time of print. The ENERGY STAR logo is a certification mark and may only be used to certify specific products that have been determined to meet the ENERGY STAR programme requirements. ENERGY STAR is a US registered mark. Windows, Windows NT, Windows XP and Windows Vista are registered trademarks of Microsoft Corporation. Adobe and PostScript 3 are either registered trademarks or trademarks of Adobe Systems Incorporated in the U.S. and/or other countries. All other company names, product names and logotypes are trademarks or registered trademarks of their respective owners. ©Sharp Corporation February 2018. Ref: MX-6050V/MX-5050VMX-4050V/MX-3550V/MX-3050V Brochure Job:18590. All trademarks acknowledged. E&OE.

Ease of use



High

productivity



Easy

connectivity



Security

Greater efficiency



Optimised
solutions



Configurations

Configuration examples

Connectivity and
capacity options

Finishing options



Specifications



Specifications

General	Compliant regulation	IEEE802.11n/g/b
Copier	Access mode	Infrastructure mode, Software AP mode
Wireless LAN (optional MX-EB18 required)	Security	WEP, WPA/WPA2-mixed PSK, WPA/WPA2-mixed EAP ^{*7} , WPA2 PSK, WPA2 EAP ^{*7}
Network Scanner		
Document Filing		
Network Printer		
Fax (optional MX-FX15 required)		
External Dimensions		

Click the specification buttons for further information



^{*1} Long-edge feeding. ^{*2} Only short-edge feeding can be used with A5 paper. ^{*3} At rated voltage, 23°C (73.4°F). May vary depending on operating conditions and environment. ^{*4} HDD capacity depends on procurement and sourcing status. ^{*5} Including adjusters and protuberances ^{*6} Long-edge feeding of A4 sheets from 1st paper tray, using document glass, without Auto Colour Selection and Auto Colour mode, MFP in fully ready condition. May vary depending on operating conditions and environment. ^{*7} Not applicable to Software AP mode. ^{*8} Based on Sharp's A4 standard chart, using document feeder and long-edge feeding. Using factory default settings with Auto Colour Selection off. Scan speed will vary depending on the type of document and the scan settings.^{*9} Requires optional MX-EB11 ^{*10} Colour/greyscale only. ^{*11} Storage capacity will vary depending on the type of document and the scan settings. ^{*12} Some features require option(s). ^{*13} Mac OS requires MX-PK13 ^{*14} Based on Sharp's standard chart with approx. 700 characters (A4 long-edge feeding) at standard resolution in Super G3 mode, 33,600 bps,JBIG compression.

Design and specifications are subject to change without prior notice. All information was correct at time of print. The ENERGY STAR logo is a certification mark and may only be used to certify specific products that have been determined to meet the ENERGY STAR programme requirements. ENERGY STAR is a US registered mark. Windows, Windows NT, Windows XP and Windows Vista are registered trademarks of Microsoft Corporation. Adobe and PostScript 3 are either registered trademarks or trademarks of Adobe Systems Incorporated in the U.S. and/or other countries. All other company names, product names and logotypes are trademarks or registered trademarks of their respective owners. ©Sharp Corporation February 2018. Ref: MX-6050V/MX-5050VMX-4050V/MX-3550V/MX-3050V Brochure Job:18590. All trademarks acknowledged. E&OE.

Ease of use



High

productivity



Easy

connectivity



Security

Greater efficiency



Optimised
solutions



Configurations

Configuration examples

Connectivity and
capacity options

Finishing options



Specifications

Specifications



General
Copier
Wireless LAN (optional MX-EB18 required)
Network Scanner
Document Filing
Network Printer
Fax (optional MX-FX15 required)
External Dimensions

Click the specification buttons for further information

Scan method

Push scan (via control panel)
Pull scan (TWAIN-compliant application)

Scan speed^{*8} (ipm) (Max)

One-sided Two-sided

80 25

Resolution (dpi) (Max)

Push scan 100, 150, 200, 300, 400, 600
Pull scan 75, 100, 150, 200, 300, 400, 600
50 to 9,600 dpi via user setting

File formats

TIFF, PDF, PDF/A, encrypted PDF, compact PDF^{*9}, JPEG^{*10}, XPS

Scan destinations

Scan to e-mail, desktop, FTP server, network folder (SMB), USB memory, HDD

Scanner utilities

Sharpdesk



^{*1} Long-edge feeding. ^{*2} Only short-edge feeding can be used with A5 paper. ^{*3} At rated voltage, 23°C (73.4°F). May vary depending on operating conditions and environment. ^{*4} HDD capacity depends on procurement and sourcing status. ^{*5} Including adjusters and protuberances ^{*6} Long-edge feeding of A4 sheets from 1st paper tray, using document glass, without Auto Colour Selection and Auto Colour mode, MFP in fully ready condition. May vary depending on operating conditions and environment. ^{*7} Not applicable to Software AP mode. ^{*8} Based on Sharp's A4 standard chart, using document feeder and long-edge feeding. Using factory default settings with Auto Colour Selection off. Scan speed will vary depending on the type of document and the scan settings. ^{*9} Requires optional MX-EB11. ^{*10} Colour/grayscale only. ^{*11} Storage capacity will vary depending on the type of document and the scan settings. ^{*12} Some features require option(s). ^{*13} Mac OS requires MX-PK13. ^{*14} Based on Sharp's standard chart with approx. 700 characters (A4 long-edge feeding) at standard resolution in Super G3 mode, 33,600 bps,JBIG compression.

Design and specifications are subject to change without prior notice. All information was correct at time of print. The ENERGY STAR logo is a certification mark and may only be used to certify specific products that have been determined to meet the ENERGY STAR programme requirements. ENERGY STAR is a US registered mark. Windows, Windows NT, Windows XP and Windows Vista are registered trademarks of Microsoft Corporation. Adobe and PostScript 3 are either registered trademarks or trademarks of Adobe Systems Incorporated in the U.S. and/or other countries. All other company names, product names and logotypes are trademarks or registered trademarks of their respective owners. ©Sharp Corporation February 2018. Ref: MX-6050V/MX-5050VMX-4050V/MX-3550V/MX-3050V Brochure Job:18590. All trademarks acknowledged. E&OE.

Ease of use



High

productivity



Easy

connectivity



Security

Greater efficiency



Optimised
solutions



Configurations

Configuration examples

Connectivity and
capacity options

Finishing options



Specifications

Specifications

General

Copier

Wireless LAN (optional MX-EB18 required)

Network Scanner

Document Filing

Network Printer

Fax (optional MX-FX15 required)

External Dimensions

Document filing capacity^{*11}

Main & custom folders

Quick file folder

Stored jobs^{*12}

Storage folders

Pages

20,000

3,000

10,000

1,000

Copy, print, scan, fax transmission

Quick file folder, main folder, custom folder (max. 1,000)

Click the specification buttons for further information



^{*1} Long-edge feeding. ^{*2} Only short-edge feeding can be used with A5 paper. ^{*3} At rated voltage, 23°C (73.4°F). May vary depending on operating conditions and environment. ^{*4} HDD capacity depends on procurement and sourcing status. ^{*5} Including adjusters and protuberances ^{*6} Long-edge feeding of A4 sheets from 1st paper tray, using document glass, without Auto Colour Selection and Auto Colour mode, MFP in fully ready condition. May vary depending on operating conditions and environment. ^{*7} Not applicable to Software AP mode. ^{*8} Based on Sharp's A4 standard chart, using document feeder and long-edge feeding. Using factory default settings with Auto Colour Selection off. Scan speed will vary depending on the type of document and the scan settings.^{*9} Requires optional MX-EB11. ^{*10} Colour/grayscale only. ^{*11} Storage capacity will vary depending on the type of document and the scan settings. ^{*12} Some features require option(s). ^{*13} Mac OS requires MX-PK13. ^{*14} Based on Sharp's standard chart with approx. 700 characters (A4 long-edge feeding) at standard resolution in Super G3 mode, 33,600 bps,JBIG compression.

Design and specifications are subject to change without prior notice. All information was correct at time of print. The ENERGY STAR logo is a certification mark and may only be used to certify specific products that have been determined to meet the ENERGY STAR programme requirements. ENERGY STAR is a US registered mark. Windows, Windows NT, Windows XP and Windows Vista are registered trademarks of Microsoft Corporation. Adobe and PostScript 3 are either registered trademarks or trademarks of Adobe Systems Incorporated in the U.S. and/or other countries. All other company names, product names and logotypes are trademarks or registered trademarks of their respective owners. ©Sharp Corporation February 2018. Ref: MX-6050V/MX-5050VMX-4050V/MX-3550V/MX-3050V Brochure Job:18590. All trademarks acknowledged. E&OE.

Ease of use



High

productivity



Easy

connectivity



Security

Greater efficiency



Optimised
solutions



Configurations

Configuration examples

Connectivity and
capacity options

Finishing options



Specifications

Specifications



General

Copier

Wireless LAN (optional MX-EB18 required)

Network Scanner

Document Filing

Network Printer

Fax (optional MX-FX15 required)

External Dimensions

Resolution (dpi)

MX-6050V/MX-5050V

1200 x 1200, 600 x 600, 9600

(equivalent) x 600

MX-4050V/MX-3550V/MX-3050V

600 x 600, 9600 (equivalent) x 600

Interface

USB 2.0, 10Base-T/100Base-TX/

1000Base-T

Supported OS

Windows Server® 2008, 2008R2, 2012, 2012R2, Windows Vista®, Windows® 7, 8.1, 10, Mac OS X 10.4, 10.5, 10.6, 10.7, 10.8, 10.9, 10.10, 10.11, 10.12, 10.13*¹³

Network protocols

TCP/IP

Printing protocols

LPR, Raw TCP (port 9100), POP3 (e-mail

printing), HTTP, FTP for downloading

print files, IPP, SMB, WSD

print files, IPP, SMB, WSD

PDL

Standard: PCL 6 emulation

Optional: Adobe® PostScript®3TM

Available fonts

80 fonts for PCL, 139 fonts for Adobe

PostScript 3

Click the specification buttons for further information



*¹ Long-edge feeding. *² Only short-edge feeding can be used with A5 paper. *³ At rated voltage, 23°C (73.4°F). May vary depending on operating conditions and environment. ** HDD capacity depends on procurement and sourcing status. *⁵ Including adjusters and protuberances *⁶ Long-edge feeding of A4 sheets from 1st paper tray, using document glass, without Auto Colour Selection and Auto Colour mode, MFP in fully ready condition. May vary depending on operating conditions and environment. *⁷ Not applicable to Software AP mode. *⁸ Based on Sharp's A4 standard chart, using document feeder and long-edge feeding. Using factory default settings with Auto Colour Selection off. Scan speed will vary depending on the type of document and the scan settings.*⁹ Requires optional MX-EB11 *¹⁰ Colour/greyscale only. *¹¹ Storage capacity will vary depending on the type of document and the scan settings. *¹² Some features require option(s). *¹³ Mac OS requires MX-PK13 *¹⁴ Based on Sharp's standard chart with approx. 700 characters (A4 long-edge feeding) at standard resolution in Super G3 mode, 33,600 bps,JBIG compression.

Design and specifications are subject to change without prior notice. All information was correct at time of print. The ENERGY STAR logo is a certification mark and may only be used to certify specific products that have been determined to meet the ENERGY STAR programme requirements. ENERGY STAR is a US registered mark. Windows, Windows NT, Windows XP and Windows Vista are registered trademarks of Microsoft Corporation. Adobe and PostScript 3 are either registered trademarks or trademarks of Adobe Systems Incorporated in the U.S. and/or other countries. All other company names, product names and logotypes are trademarks or registered trademarks of their respective owners. ©Sharp Corporation February 2018. Ref: MX-6050V/MX-5050VMX-4050V/MX-3550V/MX-3050V Brochure Job:18590. All trademarks acknowledged. E&OE.

Ease of use



High

productivity



Easy

connectivity



Security

Greater efficiency



Optimised
solutions



Configurations

Configuration examples

Connectivity and
capacity options

Finishing options



Specifications



Specifications

General

Copier

Wireless LAN (optional MX-EB18 required)

Network Scanner

Document Filing

Network Printer

Fax (optional MX-FX15 required)

External Dimensions

Compression method MH/MMR/MMR/JBIG

Communication protocol Super G3/G3

Transmission time^{*14} (seconds) Less than 3

Modem speed (bps) 33,600 – 2,400 with automatic fallback

Transmission resolution (dpi) 203.2 x 97.8 (Std) / 406.4 x 391 (Ultra Fine)

Recording width A3 – A5

Memory (GB) 1 (built-in)

Click the specification buttons for further information



*¹ Long-edge feeding. *² Only short-edge feeding can be used with A5 paper. *³ At rated voltage, 23°C (73.4°F). May vary depending on operating conditions and environment. *⁴ HDD capacity depends on procurement and sourcing status. *⁵ Including adjusters and protuberances *⁶ Long-edge feeding of A4 sheets from 1st paper tray, using document glass, without Auto Colour Selection and Auto Colour mode, MFP in fully ready condition. May vary depending on operating conditions and environment. *⁷ Not applicable to Software AP mode. *⁸ Based on Sharp's A4 standard chart, using document feeder and long-edge feeding. Using factory default settings with Auto Colour Selection off. Scan speed will vary depending on the type of document and the scan settings.*⁹ Requires optional MX-EB11. *¹⁰ Colour/greyscale only. *¹¹ Storage capacity will vary depending on the type of document and the scan settings. *¹² Some features require option(s). *¹³ Mac OS requires MX-PK13. *¹⁴ Based on Sharp's standard chart with approx. 700 characters (A4 long-edge feeding) at standard resolution in Super G3 mode, 33,600 bps, JBIG compression.

Design and specifications are subject to change without prior notice. All information was correct at time of print. The ENERGY STAR logo is a certification mark and may only be used to certify specific products that have been determined to meet the ENERGY STAR programme requirements. ENERGY STAR is a US registered mark. Windows, Windows NT, Windows XP and Windows Vista are registered trademarks of Microsoft Corporation. Adobe and PostScript 3 are either registered trademarks or trademarks of Adobe Systems Incorporated in the U.S. and/or other countries. All other company names, product names and logotypes are trademarks or registered trademarks of their respective owners. ©Sharp Corporation February 2018. Ref: MX-6050V/MX-5050VMX-4050V/MX-3550V/MX-3050V Brochure Job:18590. All trademarks acknowledged. E&OE.

Ease of use



High productivity



Easy connectivity



Security

Greater efficiency



Optimised solutions



Configurations

Configuration examples

Connectivity and capacity options

Finishing options



Specifications

Specifications



General

Copier

Wireless LAN (optional MX-EB18 required)

Network Scanner


Document Filing

Network Printer

Fax (optional MX-FX15 required)

External Dimensions

Click the specification buttons for further information



* 1,648 mm when finisher tray and exit tray are extended.

Shown with options.



*¹ Long-edge feeding. *² Only short-edge feeding can be used with A5 paper. *³ At rated voltage, 23°C (73.4°F). May vary depending on operating conditions and environment. ** HDD capacity depends on procurement and sourcing status. *⁵ Including adjusters and protuberances *⁶ Long-edge feeding of A4 sheets from 1st paper tray, using document glass, without Auto Colour Selection and Auto Colour mode, MFP in fully ready condition. May vary depending on operating conditions and environment. *⁷ Not applicable to Software AP mode. *⁸ Based on Sharp's A4 standard chart, using document feeder and long-edge feeding. Using factory default settings with Auto Colour Selection off. Scan speed will vary depending on the type of document and the scan settings.*⁹ Requires optional MX-EB11 *¹⁰ Colour/greyscale only. *¹¹ Storage capacity will vary depending on the type of document and the scan settings. *¹² Some features require option(s). *¹³ Mac OS requires MX-PK13 *¹⁴ Based on Sharp's standard chart with approx. 700 characters (A4 long-edge feeding) at standard resolution in Super G3 mode, 33,600 bps, JBIG compression.

Design and specifications are subject to change without prior notice. All information was correct at time of print. The ENERGY STAR logo is a certification mark and may only be used to certify specific products that have been determined to meet the ENERGY STAR programme requirements. ENERGY STAR is a US registered mark. Windows, Windows NT, Windows XP and Windows Vista are registered trademarks of Microsoft Corporation. Adobe and PostScript 3 are either registered trademarks or trademarks of Adobe Systems Incorporated in the U.S. and/or other countries. All other company names, product names and logotypes are trademarks or registered trademarks of their respective owners. ©Sharp Corporation February 2018. Ref: MX-6050V/MX-5050VMX-4050V/MX-3550V/MX-3050V Brochure Job:18590. All trademarks acknowledged. E&OE.